

www.azte.com



Inventor

Rolf Halden

Professor The Biodesign Institute Arizona State University

Devices and Methods for the Determination of the Bioavailability of Pollutants

AzTE Case # M11-082

Invention Description

Persistent contaminants may be present in very low concentrations in the environment and yet exert considerable effects on living organisms via bioaccumulation. Current environmental engineering sample collection, preparation, and analysis practices may under- or overestimate the actual concentrations to which aquatic or sedimentary biota are exposed.

In the fields of environmental risk characterization and risk management, there is a significant need for a device that enables the determination of critical parameters via more reliable determination of the bioavailability of contaminants.

Prof. Rolf Halden at the Biodesign Institute of Arizona State University has developed a novel device that enables the accurate determination of the bioavailability of pollutants in bulk water and sedimentary pore water. This device provides a direct determination of bioavailability rather than the indirect determination by chemical analysis of water or sediment samples.

In addition, this device also permits the collection of depth-discrete samples, time-averaged collection, and analysis of dissolved vs. particulate transport phenomena.

Potential Applications

Environmental sampling of bulk water and sedimentary pore water for bioavailability determination, environmental risk characterization, and risk management

Intellectual Property Status:

Patent Pending

Contact

Yash Vaishnav, PhD, MBA

Vice President

Business Development, Life Sciences

Arizona Technology Enterprises, LLC (AzTE)

P: 480.884.1648

F: 847.971.2871

YASH@AZTE.COM

<u>HEALTHSCIENCES@AZTE.C</u> <u>OM</u>

Benefits and Advantages

More accurate than chemical analysis methods – bioavailability is measured directly

Can measure the bioavailability of contaminants found at even small trace levels (below the detection limits of conventional laboratory methods)

Enables the collection of depth-discrete samples from pore water in saturated sediments

Enables time-averaged collection of samples over arbitrary time periods

Enables analysis of transport phenomena (e.g., dissolved vs. particulate contaminants)